Journal of
APPLIED POLYMER SCIENCE

Volume 46, 1992

EDITOR

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark
Polymer Research Institute
Polytechnic University
333 Jay St.
Brooklyn, NY 11201

ASSOCIATE EDITORS

Clive Bosnyak
Polycarbonate Research
Dow Chemical U.S.A.
B-1470A
Freeport, TX 77541

Stam G. Mylonakis
EniChem America Inc.
2000 Cornwall Road
Monmouth Junction, NJ 08852

Brian W. Pengilly
Goodyear Tire & Rubber Company
P.O. Box 3531
Akron, OH 44309-3531

Debra Wilfong
Medical Specialties
3M Company
3M Center
260-3A-04
St. Paul, MN 55144-1000

ADVISORY BOARD

C. D. Armeniades
N. M. Bikales
D. C. Bogue
W. Bonfield
D. C. Bonner
R. F. Boyer
S. Carr
M. E. Carrega
H. Cherdron
R. E. Cohen
J. M. G. Cowie
A. T. DiBenedetto
G. W. Ehrenstein
M. S. El-Aasser
Y. S. Enikolopian
C. V. Evins
G. F. Fanta
F. Garbassi
P. H. Geil
J. K. Gillham
J. E. Glass
W. G. Glasser
I. R. Harrison
A. Hiltner
H. Höcker
H. B. Hopfenberg
J. Idol
R. Ikeda
M. Ito
J. L. Kardos
A. Keller
F. N. Kelley
L. Könczöl
M. Kryszewski
C. Macosko
V. Malpass
K. Matsushige
S. Matsuzawa
K. A. Mauritz
G. Mayer
J. Mijovic
A. Muñoz-Escalona
C. L. Myers
L. Nicolais
I. Noda
J. H. O'Donnell
N. Ogata
O. F. Olaj
E. F. Oleinik
M. M. O'Mara
M. S. Parthasarathy
D. R. Paul
L. H. Peebles
N. A. Platé
G. W. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
L. Rebenfeld
F. Rodriguez
A. Rudin
R. Salovey
M. Sawamoto
M. T. Shaw
L. Shi
A. Siegmann
L. H. Sperling
J. E. Spruiell
D. R. Squire
Z. H. Stachurski
J. W. Stevens
H.-M. Tan
Ph. Teyssie
S. Tripathy
R. Vera-Graziano
I. M. Ward
J. L. White
G. L. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Merilee Croft, Sheila Kaminsky

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science* (ISSN 0021-8995), tri-monthly, *Applied Polymer Symposia* (ISSN 0570-4898), irregularly. Published tri-monthly, three volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Copyright © 1992 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under secton 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, (508) 744-3350, fax (508) 745-9379. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (1992): $2,355.00. Outside USA: $2,805.00 (air service and handling included). Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years. For subscription inquiries, please call customer service at (212) 850-6645 or write to the above address.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Postmaster: Send address changes to *Journal of Applied Polymer Science*, Susan Malawski, Fulfillment Manager, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, England.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science*, Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed in the following: *Current Contents/Physical, Chemical and Earth Sciences; Engineering Index; Current Contents/Engineering Technology and Applied Sciences; Science Citation Index; Chemical Abstracts; Excerpta Medica; Applied Mechanics Reviews; RAPRA Abstracts;* and *Chemical Titles.*

This journal is printed on acid-free paper

Journal of Applied Polymer Science

Subject Index to Volume 46

$(AB)_n$ segmented block copolymers, 1603
AAS resin, 1775
Absorption, 1167
Acid/ester/metal interface, 353
Acrylic acid, grafting, 1673
Activation energy, 571
Active species, 1653
Additives, 231
Additives, effect upon degradation, 1095
Adhesion, 1045
Adhesive strength measurement, 1065
Adsorption, 1147
Adsorption resins, 1381
Aging, 1737
Aging effects, polyimide (PI), 271
Air corona discharge, 805
Alcohol solutions, 2081
Alkaline hydrolysis, 847
Amide moieties, 1561
Amorphous films, 2177
Anion-exchange resins, 517
Anionic polymerization, 2169
Annealing, 1025, 1221, 1235
Antioxidant additive BHT, 499
Antioxidants, 201
Aqueous dispersions, 435
Aqueous separation processes, 921
Aqueous solution, 369
Aqueous solutions, 641, 715, 1137, 1177, 1301
Aqueous systems, 1879
Aromatic polymers, 2033
Aromatic polyquinolines (PQ), 1
Aromatic rings, 1631
Arrhenius activation theory, 909
Arrhenius equation, 1973
Arrhenius parameters, 847
Artificial composite latex systems, 691
Association phenomena, 1177
Asymptotic expansion technique, 1653
Atomic force microscopy (AFM), 167

Bacterial cells, removal, 899
Batch equilibrium method, 2109
Beer–Lambert law, 965
Bending, 2023
Bifunctional initiators, 1353
Biodegradation, 1467
Biomedical applications, 1967
Biomedical polymers, 1875
Biospecific polymeric biomaterials, 1151
Birefringence measurement, 1477
Blending effects, 339
Blends, 99, 281, 303, 363, 377, 581, 787, 797, 959, 981, 1057, 1645, 1887, 1915
Blends, thermodynamic interactions, 787
Block copolymers, 1639, 1813
Bonding, 1033
Branching, 715
Bristle splaying, 1369
Brittle behavior, 619
Brittle temperature (Tb), 1221, 1235
Brittle–ductile transition temperature, 619
Bulk chemistry, 271
Bulk polymers, 2101
Butt fusion, in polyethylene gas pipes, 1417

Cable sheathing, 483
Carbon black (CB), 2159
Carboxymethyl starch, rheological behavior, 1713
Cardinyl acrylate (CA), effect on thermal behavior, 1707
Catalyst concentration, 1039
Cation exchange composite, 829
Cationic electrodeposition coating (CED), 891
Cationic resins, 965, 991
Chain length, 649
Chain transfer polymerization, 1639
Charge transfer (CT) complex, 1
Charged gels, 2183
Charge–transfer complex (CTC), 1033
Chelate hardener, 1509
Chelating resins, 129
Chelating sorbents, 921
Chemical crosslinks, 1449
Chemical imidization, 243
Chemical modification, 1477
Chemically induced porogen decomposition, 1613
Chitosan, 255, 263, 1147
Chitosan membranes, 255, 263
Chloral derivatives, 563
Chudnovsky model (CM), 1051
CI type morphology, 2239
CII type morphology, 2239
CO_2-assisted polymer impregnation, 231
Coating film, 1279
Coemulsions, 965
Coextrusion, 1013
Cold plasmas, 1955, 2063
Cold rolling, 9
Colloid formation, 1301
Commodity polymer, 959
Comonomer composition, 1573
Complex polarizability, 393
Composite reverse osmosis (RO) membranes, 523
Composites, 673, 683, 757, 937, 949, 1899, 1927, 1999
Concentrated emulsion polymerization pathway, 1271
Conductive polymers, 1677
Conformation, 1329, 715
Continuous viscometer (CV), 763

Controlled release, 19
Controlled-release systems, 1159
Conveyor belts, structural analysis, 775
Cooling history, 625
Copolymer composition distribution, 879
Copolymerization, 563
Copolymerization grafting, 459
Copolymerization temperature, 2115
Copolymerization time, 2115
Copolymers, tensile behavior, 2211
Copolymers, thermal behavior, 2211
Core–shell structure, 2147
Corona treatment, 1673
Cotton fibers, 2239, 2245
Counterions, 435
Coupling agent (CA), 673
Crazing, 213
Crosslinking, 109, 147, 363, 401, 421, 783, 891, 931, 949, 973, 1001, 1301, 1307, 1311, 1439, 1449, 1461, 2049, 2089, 2147, 2203
Crystal orientation distribution, 1429
Crystal structure, 625
Crystallinity, 1205, 1813
Crystallite orientation, 1109
Crystallization, 339, 797, 1313, 2177
Cure behavior, 1245
Cured resin material properties, 1863
Curing, 1001, 1821
Curing agents, 147
Curing behavior, resins, 1125
Curing kinetics, 1573
Cycloalkylation, 1117

DAC-coated resins, 1381
dc electric fields, 635
Decomposition, 1489
Decomposition products (DPs), 1489
Defect-free separating layers, 1927
Deformational behavior, 1215
Degradation, 201, 1095, 1121, 1955, 2063
Degradation, block copolymers, 1813
Degree of substitution (DS), 369
Dehydrochlorination, 179
Desalination, 523
Dialysis permeabilities, 489
DiBenedetto equation, 859
Dielectric breakdown strength, 1531
Dielectric breakdown strengths, 1535
Dielectric properties, 1535
Dielectric relaxation, 393
Differential refractometer (DR1), 763
Differential scanning calorimetry (DSC), 9, 571, 603, 797, 959, 1057, 1313, 1369, 1573, 1645
Diffusion, 1291, 725
Diffusion kinetics, 909
Diisocyanates, polycondensation, 2139
Dimer acids, polyesterification reactions, 1485
Discontinuous surface crazes, 213
Disperse dyeability, of polypropylene fibers, 1539
Dispersion, 757
Dispersion polymerization, 27
Drawing, 1013
Drawing behavior, 2177
Dry–wet phase inversion process, 1195
Dual-mode sorption model, 1939
Ductile behavior, 619
Ductile failure, 1899
Dugdale–Barenblatt model (DBM), 1051
Dye leveling, 1987
Dynamic mechanical measurements (DMA), 1645
Dynamic mechanical thermal analysis (DMTA), 1375
Dynamic-mechanical relaxation spectra, 1799

E. coli cells, 899
Elastomer/filler interactions, 2223
Elastomers, 725
Electric conductivity, 2115
Electrical conductivity, 611
Electrical degradation, 1121
Electrochemical oxidation, 1695
Electrocopolymerization, 1899
Electrodeposition, 891, 991
Electrodeposition films, 965
Electrolytes, 739
Electromagnetic interference shielding effectiveness (EMI SE), 673
Electron beam resists, 1631
Electron scanning calorimetry analysis (ESCA), 1065
Electron spectroscopy for chemical analysis (ESCA), 805
Electron transfer, 1401
Electron-beam irradiation, 1313
Electron-pair donors (EDs), 559
Electropolymerization, 1695
Emulsion polymerization, 1271, 1387
Emulsions, 991
Emulsion–suspension polymerization method, 1775
Enzyme immobilization, 49, 2183
Enzyme membrane, 749
Epoxy composites, 1723
Epoxy groups, 1151
Epoxy networks, extent of reaction, 859
Epoxy oligomers, 1509
Epoxy resin, 815
Epoxy resins, 891, 991
Epoxy resins, crosslinked, 2089
Epoxy systems, 147
Epoxy–amine addition reactions, 2089
Epoxy–amine stoichiometry, 1863
Epoxy/amine systems, 1245
Epoxy–chelate metal-containing matrixes, 1509
Epoxy/silica composites, 1375
EPR destruction products, 1409
Esterification, 1279
Etching, 757
Etching rates, 2063
Ethanol–water mixtures, pervaporation, 2039
Extraction efficiency, 1395

Fatigue behavior, 2023
Fatigue crack, 1051
Fatigue failure prevention, 1759
Fe-DPA complex, 1453
Fels and Huang model, 109
Fiber melt spinning, 531
Fiber spinning, 873
Fiber-filled polymer melts, 1999
Fibers, 445, 471, 1025, 1109, 1477
Fibers, crystallinity, 1205
Fick's law, 499
Filler dispersion, 757
Fillers, 1429
Films, 1013, 383
Fine denier as-spun PET fibers, 83
Finite element analysis, 2131
Finite element analysis (FEA), 775
Fire resistance, 563
Fire-retardant additives, 119
Flame retardation, 467, 483
Flexural properties, 99
Flory–Huggins thermodynamics, 109
Flory–Huggins-type mean-field method, 1057
Flow-induced crystallization, 873
Fluidized bed, 595
Forced-convective evaporation, 1195
Fourier Transform Infrared (FTIR) analysis, 965, 1039, 1121
Fractionations, 411
Fracture, 2123
Free-radical polymerization, 1159, 1353
Freeze-resistant hydrolytically stable polyurethanes, 2081
Friedel-Crafts reactions, 1461
Friedel–Crafts reactions, 449
Frontal polymerization, 1499, 1501
FTIR–ATR technique, 201
Functionalization, 1151

Gamma irradiation, 1307
Gas, 1113
Gas desorption, 1939
Gas flow rates, 2063
Gas permeability, 981
Gas permeation, 1195, 1939
Gas phase, 1955
Gas plasma, 1531, 1535
Gas separation, 1507
Gas sorption, 1939
Gel pathway, 683
Gel permeation chromatography, 129
Gel permeation chromatography (Gpc), 1859
Gel permeation chromatography (GPC), 2059
Gel point, 1087
Gelatin films, 143
Gelatin-based composites, 683
Gelation, 147, 815
Gels, 635, 683, 1177, 1499, 2011, 2183
Gelular polymer bead, 1653
Glass beads, 1723
Glass transition temperature, 859, 1057
Glass transition temperature (T_g), 1645
Glassy polymers, 231
Glucose oxidase (GOD) immobilization, 49
Glucose-sensitive membranes, 1159
Graft copolymerization, 1103
Graft polyol, 2075
Grafting, 1673

HDPE/LLDPE blends, 99
Heat of mixing calculations, 581
Heat treatment, 1945
Heat treatment, and microbial degradation, 1467
Heat treatment, nylon 6 fibers, 1973, 1987
Helical conformation, 1329
Hemoperfusion, 1381
Highly transparent oxide/polymer composite materials, 1785
High-performance composites, 1125
High-temperature drawing, 1799
High-viscosity liquid gels, 683
Homogeneous membranes, 2039
Homografting, 489
Homolytic scission, 587
Homopolymerization, 1125
Hydration, 1793
Hydraulic drag bath (HDB), 531
Hydrogels, 659, 783, 1159, 1449
Hydrogen bonding, 1177
Hydrophilic monomers, 1065
Hydrophobic composite membrane, 191
Hydrophobic interaction, 641
Hydroxyethylamylopectine HAP, molecular characterization, 715

Image enhancement, 167
Immobilized enzyme support, 2043
Immobilized enzymes, pH dependency, 2183
In situ characterization, 1167
Infrared (IR) spectroscopy, 255, 603, 1573
Initer process, 1639
Initiator, 1499, 1501
Injection molding, 1915
Injection moldings, 1429
Ink vehicles, 1859
In-plane solvent diffusion, 1291
Insoluble polymer beads, 899
Instrumental broadening, 835
Instrumented falling weight impact (IFWIM) testing, 2131
Insulin delivery, 1159
Intensity–intensity time correlation function, 1691
Interchange reactions, 1887
Interfacial adhesion strength, 2189
Interfacial chemistry, 271
Interfacial tension, 691, 733
Internal notch crazes, 213
Interpenetrating polymer network (IPN), 815, 973
Interpenetrating polymer networks (IPNs), 2075
Intraparticle diffusion, 1147
Intrinsic light scattering loss, 2033
Intrinsic loss spectra, 1835
Inverse gas chromatography (IGC), 787
Ion exchange cellulosics, 829
Ion exchange membranes, 611
Ion exchange properties, 739

Ion-exchange chromatography, 517
Ion-exchange properties, 2109
Ionic bonding, 2203
Ionically crosslinked membranes, 109
Ionomers, 2203
Irganox, 507, 1010
Isobutylene polymerization, 1117
Isotactic polypropylenes, 2123
Isothermal crystallization, 339
Isothermal reaction condition, 1353

Kinetic parameters, 571

Lactam oligomerization, 2169
Laminate composites, 353
Langmuir isotherm equation, 1147
LARC–CPI, 1313
Latex particles, 1387
Layer morphology, 2239, 2245
Light-scattering theory, 649
Limited aqueous systems, 1879
Limiting oxygen index (LOI) value, 467
Linear ABA triblock copolymers, 1603
Linear aromatic polyimide films, 243
Linear copolymer analysis, 835
Linear low-density polyethylene (LLDPE), fractionation, 411
Linear-chain polymers, 1503
Linseed oil, 1311
Lipase immobilization, 749
Liquid crystalline (LC) alkyd resins, 1279
Liquid crystalline polymer (LCP) blends, 959
Liquid crystalline polymers (LCPs), 2233
Liquid crystals (LC), 143
Liquid mixtures, pervaporation, 1507
Living carbocationic polymerization, 559
Long-chain fatty acids, 329
Low molecular weight metabolites, 263
Low-angle laser light scattering (LALLS), 763
Lower critical solution temperature (LCST), 411, 659

Macromolecular structure, 1151
Maleimides, 563
Mark–Houwink constants, 1503
Mass spectrometry, 1955
Mechanical mixing, 1039
Mechanical model, 1215
Mechanical properties, 1887
Mechanical strength, 1967
Melt, 1793
Melt blending, 673
Melt extrusion, 1531
Melt spinning, 531
Melting, 339, 797
Melt-rheological properties, 281
Melts, 1999
Melt-spinning dynamics, 67
Melt-spinning processes, 55, 67, 83
Membrane distillation (MD), 191
Membrane formation process, 1195
Membrane fouling, 523
Membrane permeability, 1507
Membrane separation process, 1807
Membranes, 725, 909, 1807
Membranes, in pressure-driven processes, 1215
Mesogenic monomer method, 2233
Metal chelate solution, 1677
Metal chelates, 1509
Metal complexes, 603
Metal ion extraction, 921
Metal ions, 739
Metal-containing polymer systems, 1453
Metallized films, 1677
Metal-to-polymer interfacial adhesion, 2189
Metastable solutions, 1489
Microbial degradation, 1467
Microelectronics, 1137
Microgel-based reaction mechanism, 1573
Microgels, 421
Micromixing, 879
Miscibility, 1057
Miscibility behavior, 303
Mol ratio, 2115
Molar composition, 2217
Molecular hydrodynamics, 2059
Molecular weight, 763, 1631, 1843
Molecular weight characterization, 649
Molecule transport, 507
Monoaxial stretching, 1799
Monocyclic aromatic liquids, 725
Monodisperse beads, 1439
Monomers, 517, 1271, 1499, 1501
Monosubstitution, 1663
Morphology, 1887
Multistep decomposition, 1749, 2211
Myrcene–maleic anhydride Diels–Alder adduct, 389

Nafion thin films, 1167
Near-infrared (NIR)-absorbing cyanine dye, 1167
Nitrile oligomerization reaction, 587
Noise reduction, 1759
Nuclear magnetic resonance (NMR) spectroscopy, 2217, 2223
Nylon 4/HEMA membrane, 489
Nylon 6 fibers, heat, 1987
Nylon 6 fibers, heat treatment, 1973
Nylon 6 textiles, 467
Nylon 612 filament, 1369
Nylon 66 monofilaments, 2023

Off-stoichiometric ratios, 1245
Oil hydrolysis, 749
Oil-soluble initiators, 1387
Oligomerization reactions, 587
Oligomers, 2081
"One-pot" synthesis, 1461
Optical emission spectrometry, 1955
Optical fibers, 1339
Orientation kinetics, 1045
Oxidants, 1103
Oxygen index values, 483
Oxygen permeability, 1113
Oxygen plasma etching, 757
Oxygen plasma treatment, 595
Oxygen/Teflon–PFA system, 1113

PA-6/PA-66 interface, 797
Palm olein, 329

PAN-based copolymer, thermal stability, 1793
Paper, friction properties, 805
Particle dispersion, 757
Particle morphology, 691
Pd–CA films, 603
PE blend permeation behavior, 377
Peel adhesion apparatus, 553
Peel adhesion behavior, 553
Penton blends, 1645
Percolation theory, 611
Perfluorocarbon membranes, 311
Permeability, 1621
Permselectivity, 1621
Pervaporation, 1807, 2039
Pervaporation membranes, 311
Pervaporation separation, 109
Phase behavior, 683
Phase inversion, 2011
Phase separation, 295, 303, 691
Phase transition point, 635
Phenolic antioxidants, 1737
Phenyl-substituted polymers, 2055
Phosphorylating agents, 41
Phosphorylation, 41
Photoconductivity, 1, 1033
Photograft copolymerization, 1879
Photografting, 1065
Photon correlation spectroscopy (PCS), 1691
Photosensitivity, 1137, 1291
pH-sensitive hydrogels, 659
Piezoelectric measurements, 1087
Plasma polymerization, 191, 311
Plasma reactor, 595
Plasma-treated resins, 1531
Plastic optical fibers (POF), 1835
Plastic optical fibers (POFs), 2033
Plasticized poly(vinyl chloride) (PVC), application in medical products, 981
Plasticizers, 1485
PMMA-fumed silica composites, 1785
Poiseville flow, 1189
Polar-group orientation, 1045
Pole figure analysis, 1429
Poly(ethylene terephthalate) (PET) fibers, 55, 67, 83
Poly(ethylene terephthalate) (PET) polymer melt, 55, 67, 83
Poly(vinyl alcohol) (PVA) hydrogels, 783
Polyamides, 1137
Polyamides, heat-curable, 1001
Polycondensation, 2139
Polyelectrolyte gel, 635
Polyelectrolytes, 649
Polyesterification reactions, 1485
Polyesters, unsaturated, 389
Polyether macrodiols, 319
Polyethylene gas pipes, 1417
Polyethylene glycol (PEG), 1663
Polyimide (PI) surface chemistry, 271
Polyimide resins, 1821
Polyimides, 243
Polyindole perchlorate (PIP) pellets, 1695
Polymer beads, 2101
Polymer diffusion, 1221
Polymer latices, 27
Polymer loading, 1103
Polymer matrixes, 1509
Polymer melts, 625
Polymer particle morphology, 1395
Polymer–ceramic composite membranes, 1927
Polymeric dye receptors, 1539
Polymeric initiators, 2169
Polymeric matrices, 1307
Polymeric matrix systems, 19
Polymeric wood constituents, 1311
Polymerization pressure, 973
Polymer–solvent interactions, 401, 725
Polymer–solvent systems, 909
Polymer–substrate bonding, 353
Polymer–water interface, 1045
Polyolefinic oils, 1409
Polyolefins, 507
Polyols, polycondensation, 2139
Polypropylene fibers, disperse dyeability, 1539
Polystyryl radicals, 1401
Polyurethane (PU) anionomers, 435
Polyurethane (PU) elastomers, 319
Polyurethane elastomers, 1843
Polyurethane soft segments, 1547, 1561
Polyurethanes, 571
Polyvinyl alcohol (PVA) matrix, 1663
Polyvinyl alcohols (PVAs), 641
Pore formation, 1621
Porogen Derived Membranes, 1613, 1621
Porous copolymer beads, 401
Porous ethylene glycol dimethacrylate (EGDM) networks, 421
Postcuring, 949
Power–law fluid, 1189
PP/EVA blend, 281
Precipitates, 1677
Precure stages, 859
Premembranes, 1613, 1621
Pressure, 2063
Pressure-driven process, 1215
Pressure-sensitive adhesive (PSA) tapes, 553
Primary optical fiber coating, 1339
χ_{23}, probe-to-probe variation, 787
Process kinetics, 2139
Process zone, 1051
Progen Derived Membranes (PDM), 1489
Protein-dispersed liquid crystals (LC), 143
Proteins, 517
Proteins, controlled release, 19
Proton spin–spin relaxation time measurements, 2223
Pultruded composites, 937, 949
Pultrusion process, 937, 949
PVAC beads, 707
PVC compound, 483
Pyrolysis, 2159

Quench step, 2011

Radiation detection, 2055
Radical polymerization, 2081
Reaction injection molding (RIM), 1547
Reactive injection molding (RIM), 2075

Recrystallization, 1221, 1235
Redox initiators, 1879
Residual carbon tetrachloride removal, 1395
Resins, 937, 1125, 1381, 1531, 1749, 1821, 1863, 2043
Resins, bacteriocidal properties, 1875
Resins, ion exchange properties, 739
Resins, synthetic, 739, 2109
Reverse osmosis (RO) membranes, 523
Rheological behavior, 1713
Rodlike molecules, 873
Rolled film method, 499
Rubber blends, compatibility, 581
Rutile pigments, 2049

Saponification, 847
Scanning electron chromatography (SEC), 763
Scanning electron microscopy (SEM), 9, 1467, 2075
S-DVB resins, 1453
Seawater, uranium recovery, 129
Secondary relaxation temperature, 619
Seeded polymerization, 27
Segmented polyurethanes, 319
Semi-interpenetrating polymer networks (IPNs), 1759
Shape restoration, 1449
Shear rheology, 377
Shear stress, 775
Shear-dependent behavior, 1713
Short kevlar fiber–thermoplastic polyurethane (TPU) composites, 471
Short pulse photography, 2131
Silk fibers, structural changes, 1945
Silk fibroin, 49
Silk fibroin morphology, 1945
Simultaneous construction method, 2233
Simultaneous IPN formation, 815
Size exclusion chromatography (SEC), 835
Size-exclusion HPLC packings, 1439
Slow crack growth, 1417
Smoke evolution, 119
Smoke-suppressant additives, 119
Softening temperatures, 2217
Solid-type gels, 683
Solubility, 745
Solvent effects, 1821
Solvent removal, 2101
Solvent transport, 909
Solvent-cast films, 1177
Solvents, 1103
Sorption, 725
Sorption equilibria, 909
Spherical tannin resin, 2043
Spinline deformation, 873
St/AN monomer mixtures, 383
Standard dual detection, 835
Start-up procedures, 879
Stereoregularity, 2123
Stress redistribution, 213
Stress whitening, 9
Structural stability, 1987
Structure, effect on properties, 2123
Structure modification, 2203
Structure–layer relationship, 2245
Sulfonation, 1461
Surface modification, 595
Surface modifications, 449
Surface polarity, 1045
Surface tension modifier, 733
Surface-modified polysulfone hollow fibers, 449
Suspension polymerization, 1439, 707
Suspension-polymerized PVAc beads, 2147
Swelling, 635, 659, 707, 783, 1307, 1439, 1653, 1967, 2239, 2245
Swollen hydrogels, 1449
Synthesis, block copolymers, 1813
Syringes, 1737

Tangential pressure flow problem, 1189
t-butyl substituent, 745
Teflon–PFA tubing, 1113
Temperature-rising elution fractionation (TREF), 411
Temperature-sensitive hydrogels, 659
Tensile drawing, 1013
Tensile impact strength (TIS), 1221, 1235
Tensile properties, 99
Tensile strength, 445, 471, 937, 973, 1013
Tensile stress, 2131
Ternary diffusion models, 2011
Thermal analysis, 2177
Thermal analysis techniques, 295
Thermal conditioning zone (TCZ), 531
Thermal crosslinking, 363, 931
Thermal degradation, 1025, 1375, 179
Thermal expansivity, 1329
Thermal history, 625
Thermal imidization, 243
Thermal performance, 745
Thermal stability, 563, 1001, 1707, 1793
Thermal stabilizers, 2049
Thermal transition behavior, 295
Thermodespolarization measurements, 393
Thermogravimetric analysis (TGA), 1369
Thermogravimetric studies, 1749
Thermogravimetry, 1707, 2211
Thermoplastic elastomers (TPE), 1603
Thermoplastic interphase, 1899
Thermoset composites, 1723
Thermoset polymerization, 1087
Thermotropic polymers, 2233
Thickness–direction thermal-expansion measurements, 1329
Thiol compounds, 931
Threadline dynamics, 531
Time–temperature–transformation (TTT) cure diagrams, 1245
Tire recycling, 2159
Titanate coupling agent (CA), 673
Torsion, 2023
Transesterification, 1039
Transesterification procedure, 329

Transition metal salts, 1401
Transition metals, 1095
Translational diffusion, 1691
Transparent amorphous polymers, 1835
Transport, 507
Transport properties, 749
Tubular reactor, 879
Two-stage drawing, 1013

Ultrafiltration experiments, 449
Ultrafiltration membranes, 167
Ultrasonic attenuation measurements, 581
Ultraviolet (UV) radiation, 1025
Ultraviolet (UV) spectroscopy, 179
Unsaturated polyester (UP), 815
Unsaturated polyester (UP) resins, 1573
Unsaturated polyesters, 389
Uranium recovery, 129
Urea, 445
Urea moieties, 1547, 1561
UV curing, 1339
UV-curable coating materials, 1339
UV–VIS absorption spectra, 1

Vapor pressure osmometry, 641
Vapor-phase photografting, 383
Vibration damping, 1759
Vibrational spectroscopy, 459
Vickers hardness, 1785
υ-irradiation, 1737
Viscometry, 255
Viscometry constants, 1503
Viscose fibers, 445
Viscosity, 369, 707, 815, 1279, 1859
Viscosity index improvers, 1409
Vitrification, 1087
Volume phase transition, 659
Volumetric flow rate, 1189

Waste products, 41
Wastewater treatment, 921
Water content, 1967
Water solubility, 829
Water vapor plasma, 2189
Water-soluble copolymers, 847
Water/toluene interface, 733
Weatherability, 1775
Wide-angle X-ray diffraction (WAXD), 1369
Wool fibers, 1109
Wool fibers, tensile characteristics, 1477

X-ray diffraction methods, 1205
X-ray photoelectron spectroscopy (XPS), 1915
X-ray synchrotonic scattering (SAXS), 715

Young's modulus, 1785
Young's modulus, 783

Journal of Applied Polymer Science

Author Index to Volume 46

Abasov, A. I. See Seyidov, N. M., 1409

Abate, D. W.

—; Stevens, M. P.: Unsaturated Polyester Containing Myrcene–Maleic Anhydride Diels–Alder Adduct, 389

Abd El All, N. S. See Sidkey, M. A., 581

Abd El Fattah, A. M. See Sidkey, M. A., 581

Abe, H. See Inagaki, N., 595

Abramoff, B.

—; Covino, J.: Transmittance and Mechanical Properties of PMMA-Fumed Silica Composites, 1785

Acar, M. H. See Demircioglu, P., 1639

Adamczak, P. See Ceynowa, J., 749

Adams, T. See Kolb, E. S., 2233

Agarwal, S.

—; Choudhary, V.; Varma, I. K.: Effect of Cardinyl Acrylate on Thermal Behavior of Methyl Methacrylate Copolymers, 1707

Ajji, A. See Dufeu, J. B., 2159

Akin, H.

—; Hasirci, N.: Polyvinylpyridine–Ethanol Systems, 1307

Allen, R. D. See Yang, A. C.-M., 757

Allen, S. J. See Qurashi, M. T., 255, 263

Alvarez, L. See Peniche-Covas, C., 1147

Aly, I. M. See Hamza, S. M., 587

Amdouni, N.

—; Sautereau, H.; Gerard, J. F.: Epoxy Composites Based on Glass Beads. II. Mechanical Properties, 1723

Aminabhavi, T. M. See Harogoppad, S. B., 725; Khinnavar, R. S., 909

Anderson, J. M. See Wu, Y., 201

Anderson, R. M. See Harris, R. F., 1547

Aravindanath, S.

—; Bhama Iyer, P.; Sreenivasan, S.: Layer Morphology and Its Relation to Swelling and Structure: I. Cotton Fibers Treated in Alkali Metal Hydroxides (Note), 2239

—; Bhama Iyer, P.; Sreenivasan, S.: Layer Morphology and Its Relation to Swelling and Structure: II. Cotton Fibers Treated with Ethylenediamine and Zinc Chloride (Note), 2245

Arevalo, A. R. See Fritzsche, A. K., 167

Argüelles-Monal, W. See Peniche-Covas, C., 1147

Arvindakshan, P. See Verma, S. K., 707

Asakura, T.

—; Kitaguchi, M.; Demura, M.; Sakai, H.; Komatsu, K.: Immobilization of Glucose Oxidase on Nonwoven Fabrics with *Bombyx mori* Silk Fibroin Gel, 49

Atamanczuk, B. See Krol, P., 2139

Atiqullah, M.

—; Hassan, M. M.; Beg, S. A.: Modeling the Effects of Micromixing and Start-Up Procedures on Bulk Copolymerization and Copolymer in a Tubular Reactor, 879

Backus, V. See Rawls, H. R., 1369

Baer, E. See Shin, E. S., 213

Bagby, M. O. See Erhan, S. Z., 1859

Bajpai, U. D. N.

—; Singh, K.; Nivedita: Plasticizing Polyesters of Dimer Acid and Butane Diol, 1485

Balakrishnan, M. See Huang, R. Y. M., 109

Banerjee, A. N. See Basu, D., 1999; Maji, T. K., 1879

Baranov, A. O. See De Candia, F., 1799

Barbalata, A.

—; Bohossian, T.; Delmas, G.: Fractionation and Characterization of Linear Low-Density Polyethylene at a Lower Critical Solution Temperature (LCST), 411

Baruah, S. D.

Interaction of Polystyryl Radical with $Cu(DMF)_2Br_2$, 1401

Bastia, T. K.

—; Lenka, S.; Nayak, P. L.: Synthetic Resins. XX. Chelation Ion Exchange Properties of Resins Derived From Semicarbazone of 2-Hydroxy Acetophenone-Substituted Benzoic Acid–Formaldehyde, 739

—; Senapati, M.; Nayak, P. L.: Biomedical Polymers. IV. Bacteriocidal Property of the Resins Derived from Semicarbazone and 2,4-Dinitrophenyl Hydrazone of Some Hydroxy Acetophenones (Note), 1875

Basu, D.
—; Banerjee, A. N.; Misra, A.: Comparative Rheological Studies on Jute-Fiber- and Glass-Fiber-Filled Polypropylene Composite Melts, 1999
Beer, R. S.
—; Wilkie, C. A.; Mittleman, M. L.: The Interaction of Poly(methyl methacrylate) and Chromium Chloride: Transfer of Methyl Groups from the Ester to the Main Chain, 1095
Beg, S. A. See Atiqullah, M., 879
Bell, J. P. See Wimolkiatisak, A. S., 1899
Benev, D. See Stoeva, S., 119
Berens, A. R.
—; Huvard, G. S.; Korsmeyer, R. W.; Kunig, F. W.: Application of Compressed Carbon Dioxide in the Incorporation of Additives into Polymers, 231
Bevan, L.
—; Reed, P. E.: Impact Failure of Poly(methyl Methacrylate), 2131
Bhama Iyer, P. See Aravindanath, S., 2239, 2245
Bhatia, Q. S.
—; Burrell, M. C.; Chera, J. J.: XPS Surface Studies of Injection-Molded Poly(phenylene ether)/ Nylon 6,6 and Poly(phenylene ether)/ HIPS Blends, 1915
Bielsa, R. O.
—; Meira, G. R.: Linear Copolymer Analysis With Dual-Detection Size Exclusion Chromatography: Correction for Instrumental Broadening, 835
Bílá, J. See Lokaj, J., 2039
Binder, M. See Mammone, R. J., 1531, 1535
Bisarya, S. C. See Verma, S. K., 707
Biswas, M. See Mukherjee, A., 1453
Blair, H. S. See Qurashi, M. T., 255, 263
Bleha, M. See Lokaj, J., 1507; Schauer, J., 1807; Šumberová, V., 611
Bohossian, T. See Barbalata, A., 411
Boiko, V. P. See Grishchenko, V. K., 2081
Borisov, G. See Todorov, K., 41
Boston, H. G.
—; St. Clair, A. K.; Pratt, J. R.: Polyimides Derived from a Methylene-Bridged Dianhydride, 243
Bouranis, D. L. See Theodoropoulos, A. G., 1461
Brandwood, A. See Gunatillake, P. A., 319
Brown, G. R. See Patel, K., 179
Brown, N. See Lu, X., 1417
Brucato, V. See Piccarolo, S., 625
Buchwalter, L. P. See Goldblatt, R. D., 2189
Buczala, G. See Lu, X., 1417
Buncick, M. C.
—; Denton, D. D.: Effects of Aging on Polyimide: A Study of Bulk and Interface Chemistry, 271
Burgess, A. N.
—; Jackson, K.: The Removal of Carbon Tetrachloride from Chlorinated Polyisoprene Using Carbon Dioxide, 1395
Burrell, M. C. See Bhatia, Q. S., 1915

Calderon, H. S. See Patel, K., 179
Casella, R. See Rawls, H. R., 1369
Cataldo, J. See Shih, D.-Y., 1291
Causton, B. E. See Davy, K. W. M., 2101
Ceynowa, J.
—; Adamczak, P.: Enzyme Membrane Based Upon Polyamide-6 for Oil Hydrolysis, 749
Chan, W. H.
—; Lam-Leung, S. Y.; Fong, W. S.; Kwan, F. W.: Synthesis and Characterization of Iminodiacetate Cellulosic Sorbent and Its Application in Metal Ion Extraction, 921
Chandy, T.
—; Sharma, C. P.: Glucose-Responsive Insulin Release from Poly(vinyl alcohol)-Blended Polyacrylamide Membranes Containing Glucose Oxidase, 1159
Chang, R.-J. See Lin, M.-S., 815
Chang, T.-C. See Yen, C.-C., 1677
Chao, T. H. See Goldblatt, R. D., 2189
Charlier, P. See Tant, M. R., 2203
Chatelier, R. C. See Gunatillake, P. A., 319
Chauhan, G. S. See Stehlíček, J., 2169
Chee, K. K. See Gan, L. H., 329
Chen, C.-H.
—; Ma, C.-C. M.: Pultruded Fiber Reinforced Blocked Polyurethane (PU) Composites. I. Processability and Mechanical Properties, 937
—; Ma, C.-C. M.: Pultruded Fiber Reinforced Blocked Polyurethane (PU) Composites. II. Processing Variables and Dynamic Mechanical Properties, 949
Chen, C.-J. See Huang, Y.-J., 1573
Chen, H.
—; Wang, M.; Feng, L.; Shen, X.; Yang, S.: Synthesis and Photoconductivity Study of Phthalocyanine Polymers. I. PAA–CuPc(NO), 1033
Chen, J. See Kong, Y., 191
Chen, M. H. See Lai, J. Y., 489
Chen, N. P.
—; Chen, Y. L.; Wang, D. N.; Hu, C. P.; Ying, S. K.: Interpenetrating Polymer Networks of Polyurethane

and Vinyl Ester Resin for Reactive Injection Moulding Process, 2075
Chen, Y.
—; Chen, Y.-L.: Aqueous Dispersions of Polyurethane Anionomers: Effects of Countercation, 435
Chen, Y. L. See Chen, N. P., 2075
Chen, Y.-C.
—; Dimonie, V.; El-Aasser, S.: Particle Morphology in Artificial Composite Polymer Latex Systems, 691
Chen, Y.-H. See Yang, C.-P., 965
Chen, Y.-L. See Chen, Y., 435
Chen, Z.
—; Finet, M. C.; Liddell, K.; Thompson, D. P.; White, J. R.: Crystal Orientation Distributions in Injection-Molded Polypropylene Compounds, 1429
—; Jhaveri, T.; Walker, J.; Hsiung, C.; Harmon, J.: Rheological Properties of a Phenyl Substituted Siloxane Polymer (Note), 2055
Chera, J. J. See Bhatia, Q. S., 1915
Chiang, W.-Y.
—; Chiang, Y.-S.: Effect of Titanate Coupling Agent on Electromagnetic Interference Shielding Effectiveness and Mechanical Properties of PC–ABS–NCF Composite, 673
—; Yan, C.-S.: Preparation and Properties of Liquid Crystalline Alkyd Resin with *para*-Hydroxybenzoic Acid Mesogenic Side Chain, 1279
Chiang, Y. See Kolb, E. S., 2233; Schild, H. G., 959
Chiang, Y.-S. See Chiang, W.-Y., 673
Chien, J. C. W. See Xu, B., 1603
Cho, W. J. See Kim, D. Y., 2115
Choi, K. M.
—; Jang, J. H.; Rhee, H.-W.; Kim, K. H.: A Study of Polyindole Perchlorate (PIP) Prepared by Electropolymerization, 1695
Choi, K. Y. See Yoon, W. J., 1353
Choi, S. G. See Min, B. G., 1793
Choi, S. K. See Kim, D. Y., 2115
Choplin, L. See Dufeu, J. B., 2159
Chou, N. J. See Goldblatt, R. D., 2189
Choudhary, V. See Agarwal, S., 1707
Chudnovsky, A. See Stojimirovic, A., 1051
Clouet, F.
—; Shi, M. K.: Interactions of Polymer Model Surfaces with Cold Plasmas: Hexatriacontane as a Model Molecule of High-Density Polyethylene and Octadecyl Octadecanoate as a Model of Polyester. I. Degradation Rate versus Time and Power, 1955
Clouet, F. See Shi, M. K., 2063
Cohen, R. E. See Nir, M. M., 1503
Cook, D. G.
—; Rudin, A.; Plumtree, A.: Supermicron Poly(butyl Acrylate)/Polystyrene Core-Shell Latexes, 1387
Corcuera, M. A. See Imaz, J. J., 147
Covino, J. See Abramoff, B., 1785
Cuculo, J. A. See Kiang, C. T., 55, 67, 83; Laszkiewicz, B., 445; Lin, C.-Y., 531
Cumming, W. See Kolb, E. S., 2233

Daly, J.
—; Lenz, R. W.: Alkaline Hydrolysis of Homopolymers and Copolymers of 2-Hydroxypropyl Methacrylate, 847
Davidson, C. See Harris, R. F., 1843
Davy, K. W. M.
—; Causton, B. E.: Polymer Bead Preparation from Bulk Polymers, 2101
Dayioglu, H.
Polymeric Dye Receptors for Disperse Dyeable Polypropylene Fibers, 1539
De Candia, F.
—; Romano, G.; Baranov, A. O.; Prut, E. V.: Dynamic-Mechanical Behavior of Highly Drawn Isotactic Polypropylene, 1799
De Simone, V.
—; Maglio, G.; Palumbo, R.; Scardi, V.: Synthesis, Characterization, and Degradation of Block Polyesteramides Containing Poly(L-Lactide) Segments, 1813
Dean, B. D.
—; Harris, J. E.: Effects of the *t*-Butyl Substituent on the Miscibility of Polyarylates with Polyamides, 745
Deb, P. C. See Samui, A. B., 2211
Delmas, G. See Barbalata, A., 411
Demircioglu, P.
—; Acar, M. H.; Yagci, Y.: Synthesis of Block Copolymers by the Combination of Chain Transfer Polymerization and Initer Process, 1639
Demura, M. See Asakura, T., 49
Denton, D. D. See Buncick, M. C., 271
Deopura, B. L. See Gupta, A. K., 99
Díaz-Calleja, R.
—; Gargallo, L.; Radić, D.: Dielectric Relaxations in Poly(monocyclohexyl itaconate), 393
Dill, R. See Rawls, H. R., 1369

Dimonie, V. See Chen, Y.-C., 691
Dion, R. P. See Warakomski, J. M., 1057
Dmitrieva, T. S. See Grishchenko, V. K., 2081
Douzon, C. See Migonney, V., 1151
Dufeu, J. B.
—; Roy, C.; Ajji, A.; Choplin, L.: PVC Filled with Vacuum Pyrolysis Scrap Tires-Derived Carbon Blacks: An Investigation on Rheological, Mechanical, and Electrical Properties, 2159
Dunlop-Jones, N. See Gurnagul, N., 805

Edelstein, D. See Eyal, A. M., 1489, 1613, 1621
Egawa, H.
—; Kabay, N.; Shuto, T.; Jyo, A.: Recovery of Uranium from Seawater. XII. Preparation and Characterization of Lightly Crosslinked Highly Porous Chelating Resins Containing Amidoxime Groups, 129
El-Aasser, S. See Chen, Y.-C., 691
Elings, V. B. See Fritzsche, A. K., 167
Epstein, M.
—; Shishoo, R. L.: Erratum to "A New Process for Fabricating Nonwoven Fibrous-Reinforced Elastomer Composites", 375
Erhan, S. Z.
—; Bagby, M. O.: Gel Permeation Chromatography of Vegetable-Oil-Based Printing Ink Vehicles, 1859
Etoh, T.
—; Miyazaki, M.; Harada, K.; Nakayama, M.; Sugii, A.: Synthesis and Separation Characteristics of Strongly Basic Anion-Exchange Resins Prepared from Different Monomers, 517
Eyal, A. M.
—; Edelstein, D.; Hazan, B.; Hajdu, K.: Metastable Solutions and Interactions of Decomposition Products in Porogen Derived Membranes, 1489
—; Hajdu, K.; Hazan, B.; Edelstein, D.: Chemically Induced Porogen Decomposition in Premembranes for Porogen Derived Membranes, 1613
—; Hajdu, K.; Hazan, B.; Edelstein, D.: Pore Formation, Permeability, and Permselectivity in Porogen Derived Membranes, 1621

Feng, L. See Chen, H., 1033
Feng, Z. See Liu, W., 1645
Ferreiro, L. M. See Goldblatt, R. D., 2189
Feve, M. See Perrissin-Fabert, I., 1087
Finet, M. C. See Chen, Z., 1429
Flèche, G. See Sarazin, D., 715
Földes, E.
—; Turcsányi, B.: Transport of Small Molecules in Polyolefins. I. Diffusion of Irganox 1010 in Polyethylene, 507
Fong, W. S. See Chan, W. H., 921
François, J. H. See Sarazin, D., 715
Freddi, G. See Tsukada, M., 1945
Frisch, H. L. See Gromov, D. G., 1499
Fritzsche, A. K.
—; Arevalo, A. R.; Moore, M. D.; Weber, C. J.; Elings, V. B.; Kjoller, K.; Wu, C. M.: Image Enhancement of Polyethersulfone Ultrafiltration Membrane Surface Structure for Atomic Force Microscopy, 167
Fucugauchi, L. A. See Rodríguez, A. S., 459
Fujii, N. See Kobayashi, T., 2183

Gadoum, A. See Gosse, B., 1121
Galligan, E. See Shih, D.-Y., 1291
Galy, J. See Jordan, C., 859
Gan, L. H.
—; Ooi, K. S.; Goh, S. H.; Chee, K. K.: Polymerization of Allyl Esters Derived from Long-Chain Fatty Acids and Palm Olein, 329
Gargallo, L. See Díaz-Calleja, R., 393
Gasanova, R. Z. See Seyidov, N. M., 1409
Gattiglia, E.
—; Turturro, A.; Lamantia, F. P.; Valenza, A.: Blends of Polyamide 6 and Bisphenol-A Polycarbonate. Effects of Interchange Reactions on Morphology and Mechanical Properties, 1887
Gaudiana, R. A. See Kolb, E. S., 2233; Schild, H. G., 959
Geil, P. H. See Rybnikár, F., 797
Georgieva, A. See Todorov, K., 41
Gerard, J. F. See Amdouni, N., 1723
Giacobbe, F. W.
Oxygen Permeation Through Teflon–PFA Tubing into Flowing Argon (Note), 1113
Gillham, J. K. See Simon, S. L., 1245
Gitsov, I.
—; Todorova, O. G.: Synthesis and Evaluation of Methyl Methacrylate Copolymers and Terpolymers as Electron Beam Resists. II. Methyl Methacrylate Copolymers and Terpolymers Containing Aromatic Rings, 1631

Goh, S. H. See Gan, L. H., 329
Goldblatt, R. D.
—; Ferreiro, L. M.; Nunes, S. L.; Thomas, R. R.; Chou, N. J.; Buchwalter, L. P.; Heidenreich, J. E.; Chao, T. H.: Characterization of Water Vapo Plasma-Modified Polyimide, 2189
Golubev, V. B.
—; Gromov, D. G.; Korolev, B. A.: The Mechanism of Frontal Polymerization of Methyl Methacrylate (Note), 1501
Gomes, A. S. See Lucas, E. F., 733
Gosse, B.
—; Gosse, J. P.; Said, S.; Gadoum, A.; Nemamcha, M.: Electrical Degradation of Polypropylene: A Study by FTIR Microspectroscopy (Note), 1121
Gosse, J. P. See Gosse, B., 1121
Goto, Y. See Tsukada, M., 1477
Grishchenko, V. K.
—; Boiko, V. P.; Svistova, E. I.; Yatsimirskaya, T. S.; Valuev, V. I.; Dmitrieva, T. S.: Hydrogen-Peroxide-Initiated Polymerization of Isoprene in Alcohol Solutions, 2081
Gromov, D. G.
—; Frisch, H. L.: A Simple Mathematical Model of Frontal Polymerization (Note), 1499
Gromov, D. G. See Golubev, V. B., 1501
Gunatillake, P. A.
—; Meijs, G. F.; Rizzardo, E.; Chatelier, R. C.; McCarthy, S. J.; Brandwood, A.; Schindhelm, K.: Polyurethane Elastomers Based on Novel Polyether Macrodiols and MDI: Synthesis, Mechanical Properties, and Resistance to Hydrolysis and Oxidation, 319
Guo, Q. See Liu, W., 1645
Gupta, A. K.
—; Rana, S. K.; Deopura, B. L.: Mechanical Properties and Morphology of High-Density Polyethylene/Linear Low-Density Polyethylene Blend, 99
—; Ratnam, B. K.; Srinivasan, K. R.: Melt-Rheological Properties of PP/EVA Blend, 281
Gurnagul, N.
—; Ouchi, M. D.; Dunlop-Jones, N.; Sparkes, D. G.; Wearing, J. T.: Factors Affecting the Coefficient of Friction of Paper, 805
Gürün, C. See Okay, O., 401, 421

Ha, C. S. See Kim, D. Y., 2115; Kim, H. D., 1339
Habermann, C. E. See Harris, R. F., 1561
Haidar, B. See Legrand, A. P., 2223
Hajdu, K. See Eyal, A. M., 1489, 1613, 1621
Hamielec, A. E. See Hunkeler, D., 649
Hamza, S. M.
—; Aly, I. M.: Oligomerization Reactions in Acrylonitrile-*N*-Naphthyl-*N'*-Acryloylthiourea Copolymers in the Solid State, 587
Han, D. See Yao, K. D., 467
Han, W. See Yao, K. D., 467
Harada, K. See Etoh, T., 517
Harandi, J. See Parvini, M., 775
Harmon, J. See Chen, Z., 2055
Harogoppad, S. B.
—; Aminabhavi, T. M.: Diffusion and Sorption of Organic Liquids through Polymer Membranes. VIII. Elastomers versus Monocyclic Aromatic Liquids, 725
Harris, J. E. See Dean, B. D., 745
Harris, R. F.
—; Anderson, R. M.; Shannon, D. M.: Speciality Polyurethane Soft Segments. II. Mixing Studies in Micro-RIM Using Polyether Diamine Oligomers Containing Backbone Urea Moieties, 1547
—; Habermann, C. E.: Specialty Polyurethane Soft Segments. III. Synthesis and Characterization of *N*-Isopropyl Polyether Polyamine Oligomers Containing Backbone Urea or Amide Moieties, 1561
—; Joseph, M. D.; Davidson, C.: Polyurethane Elastomers Based on Molecular Weight Advanced Poly(ethylene Ether Carbonate) Polyols. IV. Effects of Poly(propylene Glycol) Modified Diols, 1843
Hasirci, N. See Akin, H., 1307
Hassan, M. M. See Atiqullah, M., 879
Hayase, R. See Takano, K., 1137
Hayase, S. See Takano, K., 1137
Hayashi, H.
—; Matsuzawa, S.: Concentration Distribution of Antioxidant Additive BHT in Polypropylene after Heating, 499
Hayashi, S. See Hirai, T., 1449
Hazan, B. See Eyal, A. M., 1489, 1613, 1621
Hedrick, D. P. See Parker, A. A., 295
Heidenreich, J. E. See Goldblatt, R. D., 2189
Heller, J. P. See Pratap, G., 559, 1117
Hermel, H.
—; Seeboth, A.: Protein-Dispersed Liquid Crystals, 143
Hernández-Sánchez, F.
—; Vera-Graziano, R.:

Determination of the Kinetic Parameters for the Polymerization of a Polyurethane Using an Improved Method of Differential Scanning Calorimetry, 571
Higuchi, A.
—; Koga, H.; Nakagawa, T.: Surface-Modified Polysulfone Hollow Fibers. IV. Chloromethylated Fibers and Their Derivatives, 449
Higuchi, M. See Yamaguchi, H., 2043
Hiltner, A. See Shin, E. S., 213; Wu, Y., 201
Hirai, T.
—; Maruyama, H.; Suzuki, T.; Hayashi, S.: Effect of Chemical Cross-linking under Elongation on Shape Restoring of Poly(vinyl alcohol) Hydrogel, 1449
Hirata, M. See Yamada, K., 1065
Hirose, Y. See Shiga, T., 635
Ho, P. S. See Saraf, R. F., 1329
Hoffman, A. S. See Park, T. G., 659
Hofmann, D.
—; Leonhardt, R.; Weigel, P.: X-Ray Investigations on Annealed Fibers of Poly(*p*-phenylene-1,3,4-oxadiazole), 1025
Honda, K. See Ito, M., 1013
Hong, S. I. See Kim, K.-A., 1
Houde, C.
—; Schreiber, H. P.; Rudin, A.: Crosslinking Reactions in Pigmented Olefinic Polymers, 2049
Hourston, D. J.
—; Huson, M. G.: Semi- and Fully-Interpenetrating Polymer Networks Based on Polyurethane–Polyacrylate Systems. XII. The Influence of Polymerization Pressure on Morphology and Properties, 973
Hsiung, C. See Chen, Z., 2055
Hsu, K. Y. See Lai, J. Y., 489
Hsu, T.-C. J.
—; Liu, Z.-L.: Solvent Effect on the Curing of Polyimide Resins, 1821
Hsu, T.-C. J. See Tung, C.-J., 1759
Hu, C. P. See Chen, N. P., 2075
Hu, G. H.
—; Lindt, J. T.; Lambla, M.: Transesterification Reaction of Poly(Ethylene-*co*-vinyl Acetate) with Alcohols: A Kinetic Study in Solution and in the Bulk, 1039
Huang, C.-J. See Yen, C.-C., 1677
Huang, J.
Syntheses of Polyethylene Glycol (PEG) with Different Functional Groups at Each End. I. Preparation of Monotrityl PEG Using Polyvinyl Alcohol (PVA) Matrix, 1663
Huang, R. Y. M.
—; Balakrishnan, M.; Rhim, J.-W.: Pervaporation Separation of Pentane–Alcohol Mixtures Using Nylon 6–Polyacrylic Acid (PAA) Ionically Crosslinked Membranes. II. Experimental Data and Theoretical Interpretation, 109
Huang, Y.-J.
—; Chen, C.-J.: Curing of Unsaturated Polyester Resins—Effects of Comonomer Composition. I. Low-Temperature Reactions, 1573
Hunkeler, D.
—; Wu, X. Y.; Hamielec, A. E.: Molecular Weight Characterization of Polyacrylamide-CO-Sodium Acrylate. II. Light Scattering, 649
Hurndall, M. J.
—; Jacobs, E. P.; Sanderson, R. D.: New Composite Reverse Osmosis Membranes Made from Poly-2-vinylimidazoline, 523
Huson, M. G. See Hourston, D. J., 973
Huvard, G. S. See Berens, A. R., 231
Hwang, S.-T.
—; Shim, I.-W.: The Chemistry of Pd in Cellulose Acetate, 603

Ibhadon, A. O.
Correlation of Properties with Structure in Ziegler Polypropylenes, 2123
Ibrahim, N. A.
New Cation Exchange Composite Based Upon Cellulose/Melamine Formaldehyde/Citric Acid Reaction Products, 829
Ihm, S.-K. See Jo, Y.-D., 1653
Ikemoto, I. See Toi, K., 1939
Imaz, J. J.
—; Jurado, M. J.; Corcuera, M. A.; Mondragon, I.: Physical and Mechanical Behavior of Tetraglycidyl Diaminodiphenyl Methane (TGDDM)/*m*-Phenylene Diamine (*m*-PDA) Epoxy Systems, 147
Inagaki, N.
—; Tasaka, S.; Abe, H.: Surface Modification of Polyethylene Powder Using Plasma Reactor with Fluidized Bed, 595
Inoue, H.
—; Matsukawa, K.: Crosslinking of Chlorinated Poly(Dimethylsiloxanes) With Thiol Compounds (Note), 931
—; Matsukawa, K.: Thermal Crosslinking of Chlorinated Polydimethylsiloxane-Poly(vinyl Chloride) Blends (Note), 363
Ishikawa, H. See Tsukada, M., 1477, 1945

Islam, M. A.
A Mechanical Model for the Deformational Behavior of the Polymeric Membranes Operating in Pressure-Driven Processes, 1215
Ito, J.-I.
—; Mitani, K.; Mizutani, Y.: Annealing of Commercial Block Polypropylene. I. Thermal and Physical Properties, 1221
—; Mitani, K.; Mizutani, Y.: Annealing of Commercial Block Polypropylene. II. Behavior of Poly(ethylene-*co*-propylene) Component, 1235
Ito, M.
—; Honda, K.; Kanamoto, T.: Two-Stage Drawing of Poly(Ethylene 2,6-Naphthalate), 1013
Ito, T. See Toi, K., 1939
Iwatsubo, T. See Masuoka, T., 311

Jackson, K. See Burgess, A. N., 1395
Jacobs, E. P. See Hurndall, M. J., 523
Jang, J. H. See Choi, K. M., 1695
Jayet, Y. See Perrissin-Fabert, I., 1087
Jerome, R. See Tant, M. R., 2203
Jhaveri, T. See Chen, Z., 2055
Jiang, B.
Study on PVA Hydrogel Crosslinked by Epichlorohydrin, 783
Jo, W. H. See Min, B. G., 1793
Jo, Y.-D.
—; Ihm, S.-K.: Model for Attachment of Active Species onto Gelular Polymer Bead, 1653
Jog, J. P. See Nadkarni, V. M., 339
Jordan, C.
—; Galy, J.; Pascault, J.-P.: Measurement of the Extent of Reaction of an Epoxy–Cycloaliphatic Amine System and Influence of the Extent of Reaction on Its Dynamic and Static Mechanical Properties, 859
Joseph, M. D. See Harris, R. F., 1843
Jozefowicz, M. See Migonney, V., 1151
Jurado, M. J. See Imaz, J. J., 147
Jyo, A. See Egawa, H., 129

Kabay, N. See Egawa, H., 129
Kadota, K. See Stojimirovic, A., 1051
Kanamoto, T. See Ito, M., 1013
Kang, S. G. See Kim, H. D., 1339
Karaivanova, M. See Stoeva, S., 119
Kasai, A. See Obori, H., 553
Kasai, N. See Tsukada, M., 1945
Kavousian, A. See Parvini, M., 775
Kawata, S. See Kobayashi, T., 2183
Khinnavar, R. S.
—; Aminabhavi, T. M.: Diffusion and Sorption of Organic Liquids Through Polymer Membranes. VI. Polyurethane, Neoprene, Natural Rubber, Nitrile Butadiene Rubber, Styrene Butadiene Rubber, and Ethylene Propylene Diene Terpolymer versus Organic Esters, 909
Kiang, C. T.
—; Cuculo, J. A.: Influence of Polymer Characteristics and Melt-Spinning Conditions on the Production of Fine Denier Poly (Ethylene Terephtalate) Fibers. Part III. Structure and Properties of Fine Denier As-Spun PET Fibers, 83
—; Cuculo, J. A.: Influence of Polymer Characteristics and Melt-Spinning Conditions on the Production of Fine Denier Poly(Ethylene Terephtalate) Fibers. Part I. Rheological Characterization of PET Polymer Melt, 55
—; Cuculo, J. A.: Influence of Polymer Characteristics and Melt-Spinning Conditions on the Production of Fine Denier Poly(Ethylene Terephtalate) Fibers. Part II. Melt Spinning Dynamics, 67
Kim, C.-J.
—; Lee, P. I.: Synthesis and Characterization of Suspension-Polymerized Poly(vinyl Alcohol) Beads with Core–Shell Structure, 2147
Kim, D. Y.
—; Ha, C. S.; Choi, S. K.; Cho, W. J.: Syntheses and Electric Conductivities of Poly (Metnyl Vinyl Ketone-*co*-Acryl Amide)s Reacted with Phosphorus Oxychloride, 2115
Kim, H. D.
—; Kang, S. G.; Ha, C. S.: Properties of UV-Curable Polyurethane Acrylates for Primary Optical Fiber Coating, 1339
Kim, K. H. See Choi, K. M., 1695
Kim, K.-A.
—; Park, S. Y.; Kim, Y. J.; Kim, N.; Hong, S. I.; Sasabe, H.: Synthesis and Photoelectrical Properties of Poly[2,6-(*p*-phenoxy)-4-phenylquinoline], 1
Kim, N. See Kim, K.-A., 1
Kim, Y. J. See Kim, K.-A., 1
Kirkpatrick, D. E.
—; McLemore, J. K.; Wright, M. A.: Effect of Shear Rheology on PVDC and PE Blend Permeation Behavior, 377

Kitaguchi, M. See Asakura, T., 49
Kjoller, K. See Fritzsche, A. K., 167
Kobayashi, K.
—; Senna, M.: Independent Control of Mechanical and Chemical Properties of Monodispersed Polystyrene-Divinyl Benzene Microspheres by Two-Step Polymerization, 27
Kobayashi, T.
—; Miyama, H.; Kawata, S.; Nosaka, Y.; Fujii, N.: Immobilization of Enzymes on Electrostatic Medium of Positively Charged Dimethylamino Nylon Gel, 2183
Koga, H. See Higuchi, A., 449
Kohkame, H.
—; Shitara, M.; Tanno, S.; Muroi, T.: Development of AAS Resin by the Emulsion-Suspension Polymerization Method, 1775
Kolb, E. S.
—; Schild, H. G.; Chiang, Y.; Petersen, C. P.; Adams, T.; Cumming, W.; Mehta, P. G.; Gaudiana, R. A.: Liquid Crystalline Polymers: A Comparison of Two Synthetic Approaches to Thermotropic Polymers (Note), 2233
Kolb, E. S. See Schild, H. G., 959
Komatsu, K. See Asakura, T., 49
Kong, Y.
—; Lin, X.; Wu, Y.; Chen, J.; Xu, J.: Plasma Polymerization of Octafluorocyclobutane and Hydrophobic Microporous Composite Membranes for Membrane Distillation, 191
Korneeva, E. V. See Pavlov, G. M., 2059
Korolev, B. A. See Golubev, V. B., 1501
Koros, W. J. See Pinnau, I., 1195; Rezac, M. E., 1927
Korsmeyer, R. W. See Berens, A. R., 231
Kovářová, J. See Lokaj, J., 1507
Krol, P.
—; Atamanczuk, B.; Pielichowski, J.: Kinetic Study of the Polycondensation of Diisocyanates with Polyols, 2139
Kubota, H.
Factors Influencing Vapor-Phase Photografting of Styrene/Acrylonitrile Monomer Mixtures on Polymer Films, 383
Kuliyev, R. S. See Seyidov, N. M., 1409
Kung, S. H. See Lee, Y. W., 9
Kunig, F. W. See Berens, A. R., 231
Kurauchi, T. See Shiga, T., 635
Kurnoskin, A. V.
Reaction Mechanisms of the Metal Chelates with Epoxy Oligomers and the Structures of the Epoxy–Chelate Metal-Containing Matrixes, 1509
Kutty, S. K. N.
—; Nando, G. B.: Studies on the Effect of an External Flaw on the Tensile Strength of Short Kevlar Fiber–Thermoplastic Polyurethane Composites, 471
Kwan, F. W. See Chan, W. H., 921

Lacroix, M. D. See Migonney, V., 1151
Lai, J. Y.
—; Chen, M. H.; Hsu, K. Y.: Nylon 4/HEMA Chemical Homografted Membrane, 489
Lamantia, F. P. See Gattiglia, E., 1887
Lambla, M. See Hu, G. H., 1039
Lam-Leung, S. Y. See Chan, W. H., 921
Langer, R. See Sheppard, N. F., Jr.,, 19
Lapasin, R.
—; Pricl, S.; Tracanelli, P.: Carboxymethyl Starch: A Rheological Study, 1713
Laszkiewicz, B.
—; Wcislo, P.; Cuculo, J. A.: Fibers Made from Concentrated Viscose Solutions, 445
Lavielle, L.
—; Nakajima, K.; Schultz, J.: Influence of an Electric Field on Polar-Group Orientation and Adhesion at Poly(ethylene terephthalate) Surfaces, 1045
Lecomte, N. See Legrand, A. P., 2223
Lee, L.-T.
—; Yang, C.-P.: Synthesis and Properties of Cationic Resins Derived from Polyether/Polyester-Modified Epoxy Resins, 991
Lee, P. I. See Kim, C.-J., 2147
Lee, Y. W.
—; Kung, S. H.: Elimination of Stress Whitening in High-Molecular-Weight Polyethylene, 9
Legrand, A. P.
—; Lecomte, N.; Vidal, A.; Haidar, B.; Papirer, E.: Application of NMR Spectroscopy to the Characterization of Elastomer/Filler Interactions, 2223
Lenka, S. See Bastia, T. K., 739; Rath, D. K., 2109
Lenz, R. W. See Daly, J., 847
Leonhardt, R. See Hofmann, D., 1025
Li, B.
—; Yang, Y.; Ni, S.: Translational Diffusion of Atactic 1,2-Polybutadienes in Tetrahydrofuran (Note), 1691

Li, Y. See Unsworth, J., 1375
Liddell, K. See Chen, Z., 1429
Lin, C.-Y.
—; Tucker, P. A.; Cuculo, J. A.: Poly(Ethylene Terephthalate) Melt Spinning Via Controlled Threadline Dynamics, 531
Lin, M.-S.
—; Chang, R.-J.: Chemorheology on Simultaneous IPN Formation of Epoxy Resin and Unsaturated Polyester, 815
Lin, X. See Kong, Y., 191
Lin, Y. G. See Xu, B., 1603
Linde, H. G.
Interaction of Polyamic Acids and Polyamic Esters with Copper and Substituted Polysilsesquioxane Copolymers, 353
Lindt, J. T. See Hu, G. H., 1039
Liou, F. J.
—; Niu, G. C. C.; Wang, Y. J.: Preparation and Characterization of Two HEMA/PVA Copolymers: Poly[HEMA-co-(PVA-AA)] and Poly[HEMA-co-(PVA-MA)], 1967
Lipowska, M. See Zen, J.-M., 1167
Liu, W.
—; Guo, Q.; Feng, Z.: Blends of Poly[3,3-bis(Chloromethyl)-Oxetane] with Poly(vinyl Acetate). I. Thermal and Mechanical Properties, 1645
Liu, Z.-L. See Hsu, T.-C. J., 1821
Lodoen, G. A. See Wu, Y., 201
Lokaj, J.
—; Bílá, J.: Pervaporation of Ethanol–Water Mixtures through Styrene-Substituted *N*-Phenylmaleimide Copolymer Membranes, 2039
—; Pientka, Z.; Kovářová, J.; Bleha, M.: Membranes Based on Poly[*N*-(3-dimethylaminophenyl)maleimide]-Poly(2,6-dimethyl-1,4-phenylene oxide) Blends for Gas Separation (Note), 1507
López, M. B. E. See Rodríguez, A. S., 459
Lu, X.
—; Qian, R.; Brown, N.; Buczala, G.: The Effect of Pressure and Contaminants on Slow Crack Growth in a Butt Fusion in a Polyethylene Gas Pipe, 1417
Lu, Z. See Yan, J., 1381
Lucas, E. F.
—; Oliveira, C. M.; Gomes, A. S.: Surface Properties of Graft Copolymers Surfactants: Behavior at the Water/Toluene Interface, 733

Ma, C.-C. M. See Chen, C.-H., 937, 949
Madrid, M. Y. See Sheppard, N. F., Jr., 19
Maglio, G. See De Simone, V., 1813
Maji, T. K.
—; Banerjee, A. N.: Photograft Copolymerization of Methyl Methacrylate on Viscose Fiber Using Titanium(III) Chloride–Potassium Persulfate Redox Initiator in a Limited Aqueous System, 1879
Malik, T. M.
Thermal and Mechanical Characterization of Partially Miscible Blends of Poly(ether ether ketone) and Polyethersulfone, 303
Mammone, R. J.
—; Binder, M.: Effects of CF_4/O_2 Gas Plasma Power/Exposure Time on Dielectric Properties and Breakdown Voltages of PVDF Films, 1535
—; Wade, W. L., Jr.; Binder, M.: Increased Breakdown Strengths of Polypropylene Films Melt-Extruded from Plasma-Treated Resin, 1531
Martakis, N.
—; Niaounakis, M.: Comparison of Two Distinct Phenolic Antioxidants in υ-Sterilized NR Compounds Used as Rubber Pistons in Syringes for Single Use, 1737
Martin, G. C. See Tungare, A. V., 1125; Vakil, U. M., 2089
Maruyama, H. See Hirai, T., 1449
Masuoka, T.
—; Iwatsubo, T.; Mizoguchi, K.: Pervaporation Membranes for Ethanol–Water Mixture Prepared by Plasma Polymerization. III. Perfluorocarbon Membranes, 311
Mathur, A.
—; Varma, I. K.: Tris(3-aminophenyl)phosphine Oxide-Based Nadimide Resins. II, 1749
Matsukawa, K. See Inoue, H., 363, 931
Matsuzawa, S. See Hayashi, H., 499
McCarthy, S. J. See Gunatillake, P. A., 319
McCullough, R. L. See Palmese, G. R., 1863
McHerron, D. C.
—; Wilkes, G. L.: DSC Analysis of Electron-Beam Irradiated LARC–CPI, 1313
McHugh, A. J.
—; Tsay, C. S.: Dynamics of the Phase Inversion Process, 2011
McLemore, J. K. See Kirkpatrick, D. E., 377
Mehta, P. G. See Kolb, E. S., 2233
Meijs, G. F. See Gunatillake, P. A., 319
Meira, G. R. See Bielsa, R. O., 835
Merle, G. See Perrissin-Fabert, I., 1087

Migonney, V.
—; Lacroix, M. D.; Douzon, C.; Jozefowicz, M.: Chemical Modifications of Insoluble Polystyrene Derivatives, 1151
Mikogami, Y. See Takano, K., 1137
Mikroyannidis, J. A.
Synthesis, Characterization, and Curing of Unsaturated Polyamides Derived from 2,6-Di(4-Carboxystyryl)-Pyridine and 2,6-Bis(4-Carboxybenzylidene) Cyclohexanone, 1001
Min, B. G.
—; Son, T. W.; Jo, W. H.; Choi, S. G.: Thermal Stability of Polyacrylonitrile in the Melt Formed by Hydration, 1793
Mirkiewicz, G. See Sikorski, R. T., 563
Misra, A. See Basu, D., 1999
Mitani, K. See Ito, J.-I., 1221, 1235
Mittleman, M. L. See Beer, R. S., 1095
Miura, K. See Yamaguchi, H., 2043
Miyama, H. See Kobayashi, T., 2183
Miyazaki, M. See Etoh, T., 517
Mizoguchi, K. See Masuoka, T., 311
Mizutani, Y. See Ito, J.-I., 1221, 1235
Mondragon, I. See Imaz, J. J., 147
Moore, M. D. See Fritzsche, A. K., 167
Mukherjee, A.
—; Biswas, M.: Modification of Styrene–Divinylbenzene Copolymer by Anchoring Ferric–Dipyridylamine Complex, 1453
Muroi, T. See Kohkame, H., 1775
Mustafa, S. A. See Pratap, G., 559

Nadkarni, V. M.
—; Shingankuli, V. L.; Jog, J. P.: Effect of Blending on the Crystallization Behavior of PET, 339
Nagura, M. See Tsukada, M., 1945
Nakagawa, T. See Higuchi, A., 449
Nakajima, K. See Lavielle, L., 1045
Nakano, Y. See Takano, K., 1137
Nakayama, M. See Etoh, T., 517
Nando, G. B. See Kutty, S. K. N., 471
Nayak, P. L. See Bastia, T. K., 739, 1875; Rath, D. K., 2109
Nemamcha, M. See Gosse, B., 1121
Nguyen, C.
—; Zavarin, E.: Graft Copolymerization of Polyfurfuryl Alcohol and Cellulose, 1103
Ni, S. See Li, B., 1691
Niaounakis, M. See Martakis, N., 1737
Nir, M. M.
—; Cohen, R. E.: Viscometry Constants for 1,4-Polybutadiene in Tetralin at 135°C (Note), 1503
Nishida, H.
—; Tokiwa, Y.: Effects of Higher-Order Structure of Poly(3-hydroxybutyrate) on Its Biodegradation. I. Effects of Heat Treatment on Microbial Degradation, 1467
Niu, G. C. C. See Liou, F. J., 1967
Nivedita See Bajpai, U. D. N., 1485
Nosaka, Y. See Kobayashi, T., 2183
Nunes, S. See Shih, D.-Y., 1291
Nunes, S. L. See Goldblatt, R. D., 2189

Obori, H.
—; Takenaga, M.; Kasai, A.: Peel Adhesion Apparatus Using the Compound Pendulum and Its Practical Performance, 553
Ohara, S. See Takezawa, Y., 1835, 2033
Okada, A. See Shiga, T., 635
Okay, O.
—; Gürün, C.: Formation and Structural Characteristics of Porous Ethylene Glycol Dimethacrylate Networks, 421
—; Gürün, C.: Synthesis and Formation Mechanism of Porous 2-Hydroxyethyl Methacrylate–Ethylene Glycol Dimethacrylate Copolymer Beads, 401
Okaya, T. See Sato, T., 641
Olafsen, K.
—; Stori, A.; Tellefsen, D. A.: Grafting of Acrylic Acid onto Corona-Treated Polyethylene Surfaces, 1673
Oliveira, C. M. See Lucas, E. F., 733
Ooi, K. S. See Gan, L. H., 329
Oriani, L. A. D. G.
—; Simal, A. L.: Structure of Heat-Treated Nylon 6 Fibers. I. Application of the Arrhenius Equation, 1973
Oriani, L. A. D. G. See Simal, A. L., 1987
Ouchi, M. D. See Gurnagul, N., 805

Pal, S. N.
—; Ramani, A. V.; Subramanian, N.: Gas Permeability Studies on Poly(Vinyl Chloride) Based Polymer Blends Intended for Medical Applications, 981
Palmese, G. R.
—; McCullough, R. L.: Effect of Epoxy–Amine Stoichiometry on Cured Resin Material Properties, 1863
Palumbo, R. See De Simone, V., 1813
Panarin, E. F. See Pavlov, G. M., 2059
Pang, S.
—; Rudin, A.: Use of Continuous

Viscometer and Light Scattering Detectors in Characterization of Polyolefins: Comparisons of Data From Individual and Combined Detectors, 763
Papirer, E. See Legrand, A. P., 2223
Paraszczak, J. See Shih, D.-Y., 1291
Park, S. Y. See Kim, K.-A., 1
Park, T. G.
—; Hoffman, A. S.: Synthesis and Characterization of pH- and/or Temperature-Sensitive Hydrogels, 659
Parker, A. A.
—; Hedrick, D. P.; Ritchey, W. M.: Studies of Thermal Transition Behavior in Plasticized Poly(vinyl Butyral-*co*-vinyl alcohol) with Solid-State NMR and Thermal Analysis Techniques, 295
Parvini, M.
—; Harandi, J.; Kavousian, A.; Soufian, M.: Structural Analysis of Conveyor Belts. II. Finite Element Approach, 775
Pascault, J.-P. See Jordan, C., 859
Patel, K.
—; Velazquez, A.; Calderon, H. S.; Brown, G. R.: Studies of the Solid-State Thermal Degradation of PVC. I. Autocatalysis by Hydrogen Chloride, 179
Patonay, G. See Zen, J.-M., 1167
Patri, M. See Samui, A. B., 2211
Pavlov, G. M.
—; Korneeva, E. V.; Panarin, E. F.: Correlations of Hydrodynamic Characteristics of Macromolecules and Their Retention Volumes in GPC (Note), 2059
Payet, C. R. See Wu, Y., 201
Peniche-Covas, C.
—; Alvarez, L.; Argüelles-Monal, W.: The Adsorption of Mercuric Ions by Chitosan, 1147
Perrissin-Fabert, I.
—; Feve, M.; Jayet, Y.; Merle, G.: Monitoring Thermoset Polymerization by Using Piezoelectric Measurements, 1087
Petersen, C. P. See Kolb, E. S., 2233
Piccarolo, S.
—; Saiu, M.; Brucato, V.; Titomanlio, G.: Crystallization of Polymer Melts Under Fast Cooling. II. High-Purity iPP, 625
Pielichowski, J. See Krol, P., 2139
Pientka, Z. See Lokaj, J., 1507
Pinnau, I.
—; Koros, W. J.: Gas-Permeation Properties of Asymmetric Polycarbonate, Polyestercarbonate, and Fluorinated Polyimide Membranes Prepared by the Generalized Dry–Wet Phase Inversion Process, 1195
Pizzi, A.
—; Watson, D. L.: Reaction of Unsaturated Linseed Oil with a Timber Constituent (Note), 1311
Plumtree, A. See Cook, D. G., 1387
Poon, T. W. See Saraf, R. F., 1329
Prasanth, N.
—; Shenoy, U. V.: Poiseville Flow of a Power–Law Fluid between Coaxial Cylinders, 1189
Pratap, G.
—; Mustafa, S. A.; Heller, J. P.: Role of Triethylamine in *Living* Carbocationic Polymerization of Isobutylene with 1,4-Dicumyl Alcohol/BCI, Initiating System (Note), 559
—; Wang, J.; Heller, J. P.: Use of 1-Methyl-2-pyrrolidinone in Isobutylene Polymerization Initiated with 1,4-Dicumyl Alcohol/BCl_3 System, Leading to Living α,ω-DI(*tert*-chloro)polyisobutylenes (Note), 1117
Pratt, J. R. See Boston, H. G., 243
Pricl, S. See Lapasin, R., 1713
Prut, E. V. See De Candia, F., 1799

Qian, R. See Lu, X., 1417
Qurashi, M. T.
—; Blair, H. S.; Allen, S. J.: Studies on Modified Chitosan Membranes. I. Preparation and Characterization, 255
—; Blair, H. S.; Allen, S. J.: Studies on Modified Chitosan Membranes. II. Dialysis of Low Molecular Weight Metabolites, 263

Rabiej, S.
—; Włochowicz, A.: Investigations of the Crystallinity of Polyamide-6 Fibers by Two X-Ray Diffraction Methods, 1205
Radić, D. See Díaz-Calleja, R., 393
Rama Rao, D.
Crystallite Orientation in Wool Fibers (Note), 1109
Ramani, A. V. See Pal, S. N., 981
Rana, S. K. See Gupta, A. K., 99
Rath, D. K.
—; Lenka, S.; Nayak, P. L.: Synthetic Resins. XVIII. Chelation Ion Exchange Properties of 2,4-Dinitrophenylhydrazone of 4-Hydroxy Acetophenone–Formaldehyde Resins, 2109
Ratnam, B. K. See Gupta, A. K., 281
Ratra, M. C. See Reddy, P. V., 483
Rawls, H. R.
—; Casella, R.; Backus, V.; Dill, R.: Methods for Predicting the Quality of Nylon 612

Filament for Use as a Bristle Material, 1369
Reddy, P. V.
—; Sridhar, S.; Ratra, M. C.: Flame-Retardant PVC Compound for Cable Applications, 483
Reed, P. E. See Bevan, L., 2131
Reiley, T. C. See Yang, A. C.-M., 757
Rezac, M. E.
—; Koros, W. J.: Preparation of Polymer–Ceramic Composite Membranes with Thin Defect-Free Separating Layers, 1927
Rhee, H.-W. See Choi, K. M., 1695
Rhim, J.-W. See Huang, R. Y. M., 109
Ritchey, W. M. See Parker, A. A., 295
Rizzardo, E. See Gunatillake, P. A., 319
Rodríguez, A. S.
—; López, M. B. E.; Fucugauchi, L. A.: Study by Means of Computerized Spectroscopy of Copolymerization Grafting, 459
Romano, G. See De Candia, F., 1799
Romanó, M. See Tsukada, M., 1477
Rossi, A. R. See Saraf, R. F., 1329
Roy, C. See Dufeu, J. B., 2159
Ruckenstein, E.
—; Sun, F.: A New Concentrated Emulsion Polymerization Pathway, 1271
Ruckenstein, E. See Xu, G., 683; Cook, D. G., 1387; Houde, C., 2049; Pang, S., 763
Russo, R.
Effect of the Temperature on the Drawing Behavior of Poly(ether ether ketone), 2177
Rybnikár, F.
—; Geil, P. H.: Interactions at the PA-6/PA-66 Interface, 797
Said, S. See Gosse, B., 1121
Saito, K. See Toi, K., 1939
Saiu, M. See Piccarolo, S., 625
Sakai, H. See Asakura, T., 49
Sakata, I. See Yamaguchi, H., 2043
Samui, A. B.
—; Patri, M.; Deb, P. C.: Studies on Tributyl Tin Methacrylate (TBTM). VI. Thermal and Tensile Behavior of Copolymer of Tri-*n*-Butyl Tin Methacrylate and Methyl Methacrylate, 2211
Sanderson, R. D. See Hurndall, M. J., 523
Saraf, R. F.
—; Tong, H.-M.; Poon, T. W.; Silverman, B. D.; Ho, P. S.; Rossi, A. R.: Thickness–Direction Thermal-Expansion Measurements, 1329
Sarazin, D.
—; François, J. H.; Verwaerde, C.; Flèche, G.: Structural Study of Fractionated Hydroxyethyl-Amylopectin in Aqueous Solution, 715
Sasabe, H. See Kim, K.-A., 1
Sato, T.
—; Okaya, T.: Physical and Surface Properties of Aqueous Solutions of Polyvinyl Alcohols Having an *n*-Alkylthio End Group, 641
Sautereau, H. See Amdouni, N., 1723
Scardi, V. See De Simone, V., 1813
Schauer, J.
—; Bleha, M.: Pervaporation through Membranes Made from Acyl Derivatives of Poly(2,6-dimethyl-1,4-phenylene Oxide), 1807
Schild, H. G.
—; Kolb, E. S.; Gaudiana, R. A.; Chiang, Y.; Schwarzel, W. C.: Rheology of Rigid–Flexible Liquid Crystalline Polymer/Poly(methyl methacrylate) Blends, 959
Schild, H. G. See Kolb, E. S., 2233
Schindhelm, K. See Gunatillake, P. A., 319
Schreiber, H. P. See Houde, C., 2049; Shi, Z. H., 787
Schultz, G.
Association Phenomena between Copolymers of *p*-Styrenesulfonate (Cs^+)/3-Methacryloxypropyltrimethoxysilane and Hydroxypropylcellulose in Aqueous Solution and Solvent-Cast Films, 1177
Schultz, J. See Lavielle, L., 1045
Schwartz, P. See Toney, M., 2023
Schwarzel, W. C. See Schild, H. G., 959
Seeboth, A. See Hermel, H., 143
Sellitti, C. See Wu, Y., 201
Senapati, M. See Bastia, T. K., 1875
Senna, M. See Kobayashi, K., 27
Serino, R. See Shih, D.-Y., 1291
Seyidov, N. M.
—; Kuliyev, R. S.; Abasov, A. I.; Gasanova, R. Z.: High-Viscosity Index Lubricating Oils from EPR Destruction Products, 1409
Shannon, D. M. See Harris, R. F., 1547
Sharma, C. P. See Chandy, T., 1159
Shen, X. See Chen, H., 1033
Shenoy, U. V. See Prasanth, N., 1189
Sheppard, N. F., Jr.,
—; Madrid, M. Y.; Langer, R.: Polymer Matrix Controlled Release Systems: Influence of Polymer Carrier and Temperature on Water Uptake and Protein Release, 19
Shi, M. K.
—; Clouet, F.: Study of the Interactions of Model Polymer Surface with Cold

Plasmas. II. Degradation Rate Versus Pressure and Gas Flow Rate, 2063
Shi, M. K. See Clouet, F., 1955
Shi, Z. H.
—; Schreiber, H. P.: Inverse Gas Chromatographic Study of Polymer Blend Interactions and Their Temperature Dependence, 787
Shiga, T.
—; Hirose, Y.; Okada, A.; Kurauchi, T.: Electric Field-Associated Deformation of Polyelectrolyte Gel Near a Phase Transition Point, 635
Shih, D.-Y.
—; Nunes, S.; Paraszczak, J.; Galligan, E.; Cataldo, J.; Serino, R.: In-Plane Solvent Diffusion in a Photosensitive Polyimide, 1291
Shim, I.-W. See Hwang, S.-T., 603
Shin, E. S.
—; Hiltner, A.; Baer, E.: Analysis of the Internal Crazes in Notched SAN, 213
Shingankuli, V. L. See Nadkarni, V. M., 339
Shiozaki, H. See Tsukada, M., 1477
Shishoo, R. L. See Epstein, M., 375
Shitara, M. See Kohkame, H., 1775
Shuto, T. See Egawa, H., 129
Sidkey, M. A.
—; Abd El Fattah, A. M.; Abd El All, N. S.: Compatibility Studies on Some Solutions of Rubber Blends by Ultrasonic Techniques, 581
Sikorski, R. T.
—; Mirkiewicz, G.: Synthesis of Chloral Derivative of Maleimide and Its Copolymerization with Styrene, 563
Silverman, B. D. See Saraf, R. F., 1329
Simal, A. L.
—; Oriani, L. A. D. G.: Structure of Heat-Treated Nylon 6 Fibers. II. Structural Stability and Dye Leveling, 1987
Simal, A. L. See Oriani, L. A. D. G., 1973
Simon, S. L.
—; Gillham, J. K.: Reaction Kinetics and TTT Cure Diagrams for Off-Stoichiometric Ratios of a High-T_g Epoxy/Amine System, 1245
Singh, K. See Bajpai, U. D. N., 1485
Šmigol, V.
—; Švec, F.: Synthesis and Properties of Uniform Beads Based on Macroporous Copolymer Glycidyl Methacrylate–Ethylene Dimethacrylate: A Way to Improve Separation Media for HPLC, 1439
Snyder, D. M.
—; Vuk, T. J.: Self-Condensation of Aqueous Hexa(methoxymethyl)melamine: Effects of Concentration, pH, and Alcohol Content, 1301
Son, T. W. See Min, B. G., 1793
Song, J. H. See Tant, M. R., 2203
Soufian, M. See Parvini, M., 775
Sparkes, D. G. See Gurnagul, N., 805
Sreenivasan, S. See Aravindanath, S., 2239, 2245
Sridhar, S. See Reddy, P. V., 483
Srinivasan, K. R. See Gupta, A. K., 281
St. Clair, A. K. See Boston, H. G., 243
Stehlíček, J.
—; Chauhan, G. S.; Znášiková, M.: Preparation of Polymeric Initiators of the Anionic Polymerization of Lactams from Polyetherdiols, 2169
Stein, M.
Preparation and Characterization of 2-Cyanoacrylate Copolymers, 2217
Stevens, M. P. See Abate, D. W., 389
Stoeva, S.
—; Karaivanova, M.; Benev, D.: Poly(vinyl chloride) Composition. II. Study of the Flammability and Smoke-Evolution of Unplasticized Poly(vinyl chloride) and Fire-Retardant Additives, 119
Stojimirovic, A.
—; Kadota, K.; Chudnovsky, A.: An Equilibrial Process Zone in Polymeric Materials, 1051
Stori, A. See Olafsen, K., 1673
Subramanian, N. See Pal, S. N., 981
Suganuma, Y. See Toi, K., 1939
Sugii, A. See Etoh, T., 517
Šumberová, V.
—; Bleha, M.; Wodzki, R.: Percolation Transition in Heterogeneous Ion Exchange Membranes, 611
Sun, F. See Ruckenstein, E., 1271
Suzuki, T. See Hirai, T., 1449
Švec, F. See Šmigol, V., 1439
Svistova, E. I. See Grishchenko, V. K., 2081

Takano, K.
—; Mikogami, Y.; Nakano, Y.; Hayase, R.; Hayase, S.: Photosensitive Polyimides Developable with Basic Aqueous Solutions (II), 1137
Takenaga, M. See Obori, H., 553
Taketani, N. See Takezawa, Y., 1835, 2033
Takezawa, Y.
—; Taketani, N.; Tanno, S.; Ohara, S.: Empirical Estimation Method of Intrinsic Loss Spectra in

Transparent Amorphous Polymers for Plastic Optical Fibers, 1835
—; Taketani, N.; Tanno, S.; Ohara, S.: Empirical Prediction Method of Intrinsic Light Scattering Loss of Transparent Amorphous Polymers, 2033
Tanno, S. See Kohkame, H., 1775; Takezawa, Y., 1835; Takezawa, Y., 2033
Tant, M. R.
—; Song, J. H.; Wilkes, G. L.; Charlier, P.; Jerome, R.: Mechanical Properties of Complexed α,ω-Diamino Polybutadiene, 2203
Tasaka, S. See Inagaki, N., 595
Tashiro, T.
Removal of Bacteria from Water by Systems Based on Insoluble Polystyrene–Polyethyelnimine, 899
Tatekawa, S. See Yamada, K., 1065
Tellefsen, D. A. See Olafsen, K., 1673
Theodoropoulos, A. G.
—; Bouranis, D. L.; Valkanas, G. N.: Efficient, "One-Pot" Synthesis of Suspension Cross-linked Sulfonated Polystyrene via a Friedel–Crafts Reaction, 1461
Thomas, R. R. See Goldblatt, R. D., 2189
Thompson, D. P. See Chen, Z., 1429
Ting, C.-Y. See Yang, C.-P., 891
Titomanlio, G. See Piccarolo, S., 625
Todorov, K.
—; Georgieva, A.; Troev, K.; Borisov, G.: Phosphorylation of the Waste Products from the Dimethyl Terephthalate Production with the Dimethyl Ester of the 1,2-Di(methoxycarbonyl)Ethane Phosphonic Acid, 41
Todorova, O. G. See Gitsov, I., 1631
Toi, K.
—; Saito, K.; Suganuma, Y.; Ito, T.; Ikemoto, I.: Numerical Examination of the Dual-Mode Model for Permeation, Sorption, and Desorption Rate Curves, 1939
Tokiwa, Y. See Nishida, H., 1467
Toney, M.
—; Schwartz, P.: Bending and Torsional Fatigue of Nylon 66 Monofilaments, 2023
Tong, H.-M. See Saraf, R. F., 1329
Tracanelli, P. See Lapasin, R., 1713
Troev, K. See Todorov, K., 41
Tsay, C. S. See McHugh, A. J., 2011
Tsukada, M.
—; Freddi, G.; Nagura, M.; Ishikawa, H.; Kasai, N.: Structural Changes of Silk Fibers Induced by Heat Treatment, 1945
—; Goto, Y.; Romanó, M.; Ishikawa, H.; Shiozaki, H.: Structural Characteristics of Wool Fiber Modified with Itaconic Anhydride, 1477
Tsutaya, H. See Yamada, K., 1065
Tucker, P. A. See Lin, C.-Y., 531
Tung, C.-J.
—; Hsu, T.-C. J.: Vibration Damping With Urethane/Acrylate Simultaneous Semi-Interpenetrating Polymer Networks, 1759
Tungare, A. V.
—; Martin, G. C.: Analysis of the Curing Behavior of Bismaleimide Resins, 1125
Turcsányi, B. See Földes, E., 507
Turturro, A. See Gattiglia, E., 1887

Unsworth, J.
—; Li, Y.: Thermal Degradation of Epoxy/Silica Composites Monitored via Dynamic Mechanical Thermal Analysis, 1375

Vakil, U. M.
—; Martin, G. C.: Crosslinked Epoxies: Network Structure Characterization and Physical–Mechanical Properties, 2089
Valenza, A. See Gattiglia, E., 1887
Valkanas, G. N. See Theodoropoulos, A. G., 1461
Valuev, V. I. See Grishchenko, V. K., 2081
Varma, I. K. See Agarwal, S., 1707; Mathur, A., 1749
Velazquez, A. See Patel, K., 179
Vera-Graziano, R. See Hernández-Sánchez, F., 571
Verma, S. K.
—; Arvindakshan, P.; Bisarya, S. C.: Effect of Alkalies on Suspension Polymerization of Vinyl Acetate Monomer, Properties of Poly(Vinyl Acetate) Beads and Poly(Vinyl Alcohols), 707
Verwaerde, C. See Sarazin, D., 715
Vidal, A. See Legrand, A. P., 2223
Vuk, T. J. See Snyder, D. M., 1301

Wade, W. L., Jr. See Mammone, R. J., 1531
Walker, J. See Chen, Z., 2055
Wang, D. N. See Chen, N. P., 2075
Wang, J. See Pratap, G., 1117
Wang, M. See Chen, H., 1033
Wang, Y. J. See Liou, F. J., 1967
Warakomski, J. M.
—; Dion, R. P.: The Effect of Chemical Composition on the Miscibility of Styrene/Acrylonitrile/Fumaronitrile Terpolymers with Styrene/Acrylonitrile Copolymers, 1057

Watson, D. L. See Pizzi, A., 1311
Wcislo, P. See Laszkiewicz, B., 445
Wearing, J. T. See Gurnagul, N., 805
Weber, C. J. See Fritzsche, A. K., 167
Weigel, P. See Hofmann, D., 1025
White, J. R. See Chen, Z., 1429
Wilkes, G. L. See McHerron, D. C., 1313; Tant, M. R., 2203
Wilkie, C. A. See Beer, R. S., 1095
Wimolkiatisak, A. S.
—; Bell, J. P.: Toughening of Graphite–Epoxy Composites with an Electrocopolymerized High-Temperature Thermoplastic Interphase, 1899
Włochowicz, A. See Rabiej, S., 1205
Wodzki, R. See Šumberová, V., 611
Wright, M. A. See Kirkpatrick, D. E., 377
Wu, C. M. See Fritzsche, A. K., 167
Wu, D. See Zhang, J., 369
Wu, S.
Secondary Relaxation, Brittle–Ductile Transition Temperature, and Chain Structure, 619
Wu, X. See Yan, J., 1381
Wu, X. Y. See Hunkeler, D., 649
Wu, Y.
—; Sellitti, C.; Anderson, J. M.; Hiltner, A.; Lodoen, G. A.; Payet, C. R.: An FTIR–ATR Investigation of *In Vivo* Poly(ether urethane) Degradation, 201
Wu, Y. See Kong, Y., 191
Wu, Z. See Yan, J., 1381

Xu, B.
—; Lin, Y. G.; Chien, J. C. W.: Energetic ABA and $(AB)_n$ Thermoplastic Elastomers, 1603
Xu, G.
—; Ruckenstein, E.: Gelatin-Based Composite Polymers, 683
Xu, J. See Kong, Y., 191
Xu, R. See Yan, J., 1381

Yagci, Y. See Demircioglu, P., 1639
Yamada, K.
—; Tsutaya, H.; Tatekawa, S.; Hirata, M.: Hydrophilic and Adhesive Properties of Polyethylene Plates Grafted with Hydrophilic Monomers, 1065
Yamaguchi, H.
—; Miura, K.; Higuchi, M.; Sakata, I.: Use of Spherical Tannin Resin as a Support for Immobilized Enzyme, 2043
Yan, C.-S. See Chiang, W.-Y., 1279
Yan, J.
—; Xu, R.; Zhou, P.; Lu, Z.; Wu, X.; Wu, Z.: DAC-Coated Resins for Hemoperfusion, 1381
Yang, A. C.-M.
—; Allen, R. D.; Reiley, T. C.: Evaluation of Particle Dispersion in Polymer Solids by Oxygen Plasma Etching, 757
Yang, C.-P.
—; Chen, Y.-H.: FTIR Analysis of Electrodeposition Film from Emulsion of Two Cationic Resins, 965
—; Ting, C.-Y.: Electrodeposition Properties of Self-Crosslinking Epoxy–Amine Cationic Resin Modified by Polycaprolactone Diol, 891
Yang, C.-P. See Lee, L.-T., 991
Yang, S. See Chen, H., 1033
Yang, Y. See Li, B., 1691
Yao, K. D.
—; Han, W.; Han, D.: Flame-Retarding Modification of Nylon 6 Textile, 467
Yarin, A. L.
Flow-Induced On-Line Crystallization of Rodlike Molecules in Fiber Spinning, 873
Yatsimirskaya, T. S. See Grishchenko, V. K., 2081
Yen, C.-C.
—; Huang, C.-J.; Chang, T.-C.: Studies on the Preparation and Properties of Conductive Polymers. V. Analysis of Metallized Polyamide Complex Metal Chelate Films and Precipitates in Metal Chelate Solution, 1677
Ying, S. K. See Chen, N. P., 2075
Yoon, W. J.
—; Choi, K. Y.: Free-Radical Polymerization of Styrene with a Binary Mixture of Symmetrical Bifunctional Initiators, 1353

Zavarin, E. See Nguyen, C., 1103
Zen, J.-M.
—; Lipowska, M.; Patonay, G.: Near-Infrared Probe for *In Situ* Characterization of Nafion Thin Films, 1167
Zhang, J.
—; Wu, D.: Characteristics of the Aqueous Solution of Carboxymethyl Starch Ether (Note), 369
Zhou, P. See Yan, J., 1381
Znášiková, M. See Stehlíček, J., 2169